

Parameters of a 24-Port Aggregation Switch



Article Overview

A 24-port aggregation switch typically supports static and dynamic port aggregation, PoE/PoE++ power, redundant uplinks, and advanced management features.

Port Aggregation Features

- **Aggregation Modes:** Supports static (ON mode) and dynamic (LACP Active/Passive) aggregation. Static groups can include up to 8 ports, while dynamic groups can have up to 12 ports, with 8 active and 4 backup ports for redundancy .
- **LACP Support:** Dynamic aggregation uses the Link Aggregation Control Protocol (802.3ad) to negotiate and maintain link consistency between switches .
- **MC-LAG Option:** Some switches support Multi-Chassis Link Aggregation (MC-LAG) for higher resilience, allowing two switches to operate as a single logical unit with load balancing and redundancy .
- **Port Attributes:** All aggregated ports must have consistent configurations, including STP settings, VLAN membership, port speed, duplex mode (full duplex only), and link type (trunk, hybrid, or access), .

Power and PoE Capabilities

- **PoE/PoE++ Support:** Many 24-port aggregation switches provide 802.3bt PoE++ (up to 90-95W per port) and PoH (Power over HD-BASE-T) modes .
- **Total Power Budget:** High-capacity switches can deliver up to 2,280W for powering multiple devices simultaneously .

Article Content

24-Port Layer 3 Stackable 10 Gigabit Fiber Managed Switch

The DXS-3400 Series switches feature a modular fan and power supply design for a high availability architecture. The hot-swappable

DS-3E1528-SI-24T4F 28 Port Aggregation Switch

28 Port Aggregation Switch Smart managed switches are developed by Hikvision, featuring easy management and maintenance.

H3C S6520X-SI Series Multi-Gigabit 10GE Switches

Multi-chassis Link Aggregation Group (M-LAG) (Original DRNI) H3C S6520X-SI series switches support M-LAG, which enables links

Port Aggregation Configurations

Port aggregation is useful for implementing load balancing and provides a redundant link backup. To allow port aggregation, the

Cisco Sge2000p 24 Port Gigabit Switch Poe Data Sheet

Product Overview The Cisco® SGE2000P 24-Port Gigabit Switch (Figure 1) helps maximize system availability, with fully redundant

24-Port 10GbE Switch Specifications | PDF

The document outlines the specifications for a 24-port switch, featuring 24 x 10GbE ports with a switching capacity ranging from 640

5120 | Extreme Networks

24- and 48-port stackable 10Gb switches designed primarily for solutions requiring basic 10Gb connectivity to end devices and can

Transmission

Transmission Dahua offers both network and HDCVI PTZ cameras. PTZ cameras use pan, tilt, and zoom functionality to provide

Parameters of a 24-Port Aggregation Switch

Featuring 24x10G multi-Gigabit ports + 4x10/25G SFP28 uplinks, this switch delivers flexible, high-performance connectivity.

DS-3E1524-SI-16F8T 24 Port Aggregation Switch

DS-3E1524-SI-16F8T 24 Port Aggregation Switch n, featuring easy management and maintenance. You can easily deploy, monitor,

24-port GbE/Multi-GbE L2 Switch with Four 10G SFP+ Uplink Ports

Service providers can set criteria based on IP, MAC addresses, VLAN ID, or TCP/UDP port number. The MGS3760-28F allows eight

D-Link 24-Port 10 Gigabit L2/L3 Managed Aggregation Switch

3 Series Switches D-Link DXS-3600 includes the new compact high-performance switches, performing switching and routing of traffic

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://yachtchartercapetown.co.za>

Email: info@yachtchartercapetown.co.za

Phone: +27 21 863 4927

Address: 1st Floor, The Towers, 1 St George's Mall, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

